

Page 1 of 3

Date of Issue: 09/10/2007

Material Safety Data Sheet

# Plastiment BV50S

#### **COMPANY DETAILS**

COMPANY: Sika (NZ) Ltd

ADDRESS: 85-91 Patiki Road, Avondale, Auckland

TELEPHONE: (09) 828 7002

EMERGENCY AFTER HOURS: 0800 734 607

FAX NUMBER: (09) 828 4091

## **IDENTIFICATION**

PRODUCT NAME:	Plastiment BV50S
OTHER NAMES:	None
MANUFACTURER'S PRODUCT CODE:	None
U.N. NUMBER:	None
DANGEROUS GOODS CLASS AND	None
SUBSIDIARY RISK:	
HAZCHEM CODE:	None
POISONS SCHEDULE NUMBER:	None
USE:	Water reducing admixture for concrete

#### **PHYSICAL DESCRIPTION / PROPERTIES:**

APPEARANCE:	Brown liquid	
BOILING POINT / MELTING POINT:	Boiling point approximately 100°C	
VAPOUR PRESSURE:	Not measured	
SPECIFIC GRAVITY:	1.23	
FLASHPOINT:	Not applicable	
FLAMMABILITY LIMITS:	Does not support combustion	
SOLUBILITY IN WATER:	Miscible in all proportions	

#### **ADVICE NOTE:**

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the Technical Data Sheet prior to any use and processing.

Issue: 2 Ref: MSDS 218



Page 2 of 3

Product Name: Plastiment BV50S

Date of Issue: 09/10/2007

OTHER PROPERTIES:

**INGREDIENTS:** 

Chemical Name:CAS Number:Calcium Lignosulphonate68131-32-8Calcium Nitrate13477-34-5Naphthalene Sulphonate36290-04-7Sodium Thiocyanate540-72-7

Water Molasses Proportion:
Not more than 20%
Not more than 20%
Not more than 20%
Not more than 1%
Difference to 100%
Not more than 20%

## **HEALTH HAZARD INFORMATION**

#### **HEALTH EFFECTS:**

Swallowed: Harmful.

Eye: Irritant.

Skin: Mild irritant.

Inhaled: Not applicable.

**FIRST AID:** 

Swallowed: Give water to drink. Seek immediate medical attention.

Eye: In case of contact with the eyes, rinse immediately for at least 15

minutes with plenty of water.

Skin: In case of contact with skin, wash off immediately with soap and water.

Inhaled: Not applicable.

First Aid Facilities: Eye wash station. Showering facilities.

**ADVICE TO DOCTOR:** No specific antidote. Treat symptomatically.

Issue: 2 Ref: MSDS 218



Page 3 of 3

Product Name: Plastiment BV50S

Date of Issue: 09/10/2007

# PRECAUTIONS FOR USE

EXPOSURE STANDARDS: Not determined.

Follow good working practice: handle with care, avoid ingestion, eye and

skin contact.

ENGINEERING CONTROLS: Prevent any spillages of the product.

PERSONAL PROTECTION: Avoid contact with skin and eyes by wearing long impervious gloves

(rubber, neoprene, PVC, complying to AS/NZS 2161) and safety glasses.

FLAMMABILITY: Not flammable.

### SAFE HANDLING INFORMATION

STORAGE & TRANSPORT: Non hazardous in transport.

SPILLS & DISPOSAL: For spills, contain spill with appropriate material and remove with

absorbing material. Wash remnants with water.

For disposal, use a dumping ground controlled by local authorities.

FIRE / EXPLOSION HAZARD: No hazard under normal conditions. Under extreme heat conditions,

oxides of nitrogen and carbon monoxide may be produced.

OTHER INFORMATION: Product should not be released into rivers, lakes, the sewage system or

into natural ground.

CONTACT POINT: Operations Manager (09) 828 7002 or (09) 820 1432.

Issue: 2 Ref: MSDS 218